**Date: 10th March 2026**

The Executive Director: Water Services Department

Harry Gwala District Municipality

40 Main Street

Ixopo

3276

**Attention: Basetsana Khathalib and Bheki Nene**

## FEBRUARY 2026 WASTEWATER RESULTS

Please find February 2026 Wastewater results tabulated below for samples received during February 2026. Determinands marked with an asterix are unaccredited and are not included in uMngeni-uThukela Water's schedule of accreditation.

Please contact us immediately should you have any queries.

Yours' Sincerely

Mr M Sewcharran

Client Services Manager

| Sample Date | Sample Number | Sampling Point | Description | Determinand | Result | UOM | Unit |
|---|---|---|---|---|---|---|---|
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | COD* | <20.0 | - | mg O2/L |
| 02-Feb-26 | 2565652 | RKOK001 | River above Kokstad | Coll Time OS* | 08:02 | - | - |
| 02-Feb-26 | 2565656 | RKOK001 | River above Kokstad | Colour | 17.4 | ±6.5% | mg Pt-Co/L |
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | Conductivity | 21.0 | ±1.5% | mS/m |
| 02-Feb-26 | 2565653 | RKOK001 | River above Kokstad | E.coli* | 5794 | ±21% | MPN/100mL |
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | NH3 | 0.66 | ±5.5% | mg N/L |
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | NO2 | 0.21 | ±2.4% | mg N/L |
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | NO3 | 0.60 | ±2.9% | mg N/L |
| 02-Feb-26 | 2565654 | RKOK001 | River above Kokstad | OG* | <1.20 | - | mg/L |
| 02-Feb-26 | 2565652 | RKOK001 | River above Kokstad | pH OS* | 7.30 | - | - |
| 02-Feb-26 | 2565655 | RKOK001 | River above Kokstad | SRP | 109 | ±7.7% | µg P/L |
| 02-Feb-26 | 2565656 | RKOK001 | River above Kokstad | SS | <10.0 | ±3.7% | mg/L |
| 02-Feb-26 | 2565652 | RKOK001 | River above Kokstad | Temperature OS* | 20.5 | - | °C |
| 02-Feb-26 | 2565657 | RKOK002 | River below Kokstad | Cl2 (F) OS* | 0.07 | - | mg Cl2/L |
| 02-Feb-26 | 2565657 | RKOK002 | River below Kokstad | Cl2 (T) OS* | 0.09 | - | mg Cl2/L |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | COD* | <20.0 | - | mg O2/L |
| 02-Feb-26 | 2565657 | RKOK002 | River below Kokstad | Coll Time OS* | 07:21 | - | - |
| 02-Feb-26 | 2565661 | RKOK002 | River below Kokstad | Colour | 15.8 | ±6.5% | mg Pt-Co/L |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | Conductivity | 27.8 | ±1.5% | mS/m |
| 02-Feb-26 | 2565658 | RKOK002 | River below Kokstad | E.coli* | 798 | ±21% | MPN/100mL |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | NH3 | 2.58 | ±5.5% | mg N/L |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | NO2 | 0.23 | ±2.4% | mg N/L |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | NO3 | 0.58 | ±2.9% | mg N/L |
| 02-Feb-26 | 2565659 | RKOK002 | River below Kokstad | OG* | <1.20 | - | mg/L |
| 02-Feb-26 | 2565657 | RKOK002 | River below Kokstad | pH OS* | 7.30 | - | - |
| 02-Feb-26 | 2565660 | RKOK002 | River below Kokstad | SRP* | 687 | - | µg P/L |
| 02-Feb-26 | 2565661 | RKOK002 | River below Kokstad | SS | <10.0 | ±3.7% | mg/L |
| 02-Feb-26 | 2565657 | RKOK002 | River below Kokstad | Temperature OS* | 20.0 | - | °C |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | COD* | 546 | - | mg O2/L |
| 02-Feb-26 | 2565815 | WFR001 | Franklin WWW Influent | Coll Time OS* | 09:30 | - | - |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | Conductivity | 178 | ±1.5% | mS/m |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | NH3* | 91.9 | - | mg N/L |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | NO3* | <0.50 | - | mg N/L |
| 02-Feb-26 | 2565815 | WFR001 | Franklin WWW Influent | pH OS* | 7.30 | - | - |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | SRP* | 10957 | - | µg P/L |
| 02-Feb-26 | 2565816 | WFR001 | Franklin WWW Influent | SS | 441 | ±8.2% | mg/L |
| 02-Feb-26 | 2565815 | WFR001 | Franklin WWW Influent | Temperature OS* | 22.8 | - | °C |
| 02-Feb-26 | 2565817 | WFR004 | Franklin WWW Final Effluent | Cl2 (F) OS* | 0.32 | - | mg Cl2/L |
| 02-Feb-26 | 2565817 | WFR004 | Franklin WWW Final Effluent | Cl2 (T) OS* | 0.40 | - | mg Cl2/L |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | COD* | 159 | - | mg O2/L |
| 02-Feb-26 | 2565817 | WFR004 | Franklin WWW Final Effluent | Coll Time OS* | 09:35 | - | - |
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | Conductivity | 94.0 | ±1.5% | mS/m |
| 02-Feb-26 | 2565818 | WFR004 | Franklin WWW Final Effluent | E.coli* | 7270 | ±21% | MPN/100mL |
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | NH3* | 11.7 | - | mg N/L |
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | NO3* | <0.50 | - | mg N/L |
| 02-Feb-26 | 2565817 | WFR004 | Franklin WWW Final Effluent | pH OS* | 7.20 | - | - |
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | SRP* | 8025 | - | µg P/L |
| 02-Feb-26 | 2565819 | WFR004 | Franklin WWW Final Effluent | SS | 86.0 | ±8.2% | mg/L |
| 02-Feb-26 | 2565817 | WFR004 | Franklin WWW Final Effluent | Temperature OS* | 22.9 | - | °C |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | COD* | 1315 | - | mg O2/L |
| 02-Feb-26 | 2565836 | WKK001 | KoKstad WWW Influent | Coll Time OS* | 07:50 | - | - |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | Conductivity | 101 | ±1.5% | mS/m |
| 02-Feb-26 | 2565837 | WKK001 | KoKstad WWW Influent | E.coli* | >2419600 | ±21% | MPN/100mL |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | NH3* | 46.9 | - | mg N/L |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | NO3* | <0.50 | - | mg N/L |
| 02-Feb-26 | 2565836 | WKK001 | KoKstad WWW Influent | pH OS* | 7.80 | - | - |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | SRP* | 8031 | - | µg P/L |
| 02-Feb-26 | 2565838 | WKK001 | KoKstad WWW Influent | SS | 1939 | ±8.2% | mg/L |
| 02-Feb-26 | 2565836 | WKK001 | KoKstad WWW Influent | Temperature OS* | 26.1 | - | °C |
| 02-Feb-26 | 2565839 | WKK004 | Kokstad WWW Final Effluent M | Cl2 (F) OS* | <0.05 | - | mg Cl2/L |
| 02-Feb-26 | 2565839 | WKK004 | Kokstad WWW Final Effluent M | Cl2 (T) OS* | 0.05 | - | mg Cl2/L |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | COD* | 41.4 | - | mg O2/L |
| 02-Feb-26 | 2565839 | WKK004 | Kokstad WWW Final Effluent M | Coll Time OS* | 07:30 | - | - |
| 02-Feb-26 | 2565843 | WKK004 | Kokstad WWW Final Effluent M | Colour | 29.9 | ±6.5% | mg Pt-Co/L |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | Conductivity | 72.3 | ±1.5% | mS/m |
| 02-Feb-26 | 2565840 | WKK004 | Kokstad WWW Final Effluent M | E.coli* | 15 | ±21% | MPN/100mL |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | NH3* | 18.4 | - | mg N/L |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | NO2* | <0.50 | - | mg N/L |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | NO3* | <0.50 | - | mg N/L |
| 02-Feb-26 | 2565841 | WKK004 | Kokstad WWW Final Effluent M | OG* | <1.20 | - | mg/L |
| 02-Feb-26 | 2565839 | WKK004 | Kokstad WWW Final Effluent M | pH OS* | 7.60 | - | - |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | SRP* | 3858 | - | µg P/L |
| 02-Feb-26 | 2565842 | WKK004 | Kokstad WWW Final Effluent M | SS | 20.0 | ±8.2% | mg/L |
| 02-Feb-26 | 2565839 | WKK004 | Kokstad WWW Final Effluent M | Temperature OS* | 22.6 | - | °C |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | COD* | 1530 | - | mg O2/L |
| 04-Feb-26 | 2567145 | WBU001 | Bulwer WWW Influent | Coll Time OS* | 10:24 | - | - |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | Conductivity | 37.1 | ±1.5% | mS/m |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | NH3* | 16.1 | - | mg N/L |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | NO3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567145 | WBU001 | Bulwer WWW Influent | pH OS* | 7.70 | - | - |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | SRP* | 2160 | - | µg P/L |
| 04-Feb-26 | 2567146 | WBU001 | Bulwer WWW Influent | SS | 1062 | ±8.2% | mg/L |
| 04-Feb-26 | 2567145 | WBU001 | Bulwer WWW Influent | Temperature OS* | 27.6 | - | °C |
| 04-Feb-26 | 2567147 | WBU004 | Bulwer WWW Effluent | Cl2 (F) OS* | <0.05 | - | mg Cl2/L |
| 04-Feb-26 | 2567147 | WBU004 | Bulwer WWW Effluent | Cl2 (T) OS* | <0.05 | - | mg Cl2/L |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | COD* | 629 | - | mg O2/L |
| 04-Feb-26 | 2567147 | WBU004 | Bulwer WWW Effluent | Coll Time OS* | 10:37 | - | - |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | Conductivity | 247 | ±1.5% | mS/m |
| 04-Feb-26 | 2567148 | WBU004 | Bulwer WWW Effluent | E.coli* | 0 | ±21% | MPN/100mL |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | NH3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | NO3* | 2.34 | - | mg N/L |
| 04-Feb-26 | 2567147 | WBU004 | Bulwer WWW Effluent | pH OS* | 7.60 | - | - |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | SRP* | 1848 | - | µg P/L |
| 04-Feb-26 | 2567149 | WBU004 | Bulwer WWW Effluent | SS | 285 | ±8.2% | mg/L |
| 04-Feb-26 | 2567147 | WBU004 | Bulwer WWW Effluent | Temperature OS* | 27.1 | - | °C |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | COD* | 254 | - | mg O2/L |
| 04-Feb-26 | 2567168 | WRIV001 | Riverside WWW Influent | Coll Time OS* | 08:35 | - | - |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | Conductivity | 26.3 | ±1.5% | mS/m |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | NH3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | NO3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567168 | WRIV001 | Riverside WWW Influent | pH OS* | 7.90 | - | - |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | SRP* | 797 | - | µg P/L |
| 04-Feb-26 | 2567169 | WRIV001 | Riverside WWW Influent | SS | 186 | ±8.2% | mg/L |
| 04-Feb-26 | 2567168 | WRIV001 | Riverside WWW Influent | Temperature OS* | 27.8 | - | °C |
| 04-Feb-26 | 2567170 | WRIV004 | Riverside WWW Final Effluent | Cl2 (F) OS* | <0.05 | - | mg Cl2/L |
| 04-Feb-26 | 2567170 | WRIV004 | Riverside WWW Final Effluent | Cl2 (T) OS* | <0.05 | - | mg Cl2/L |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | COD* | 21.8 | - | mg O2/L |
| 04-Feb-26 | 2567170 | WRIV004 | Riverside WWW Final Effluent | Coll Time OS* | 08:45 | - | - |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | Conductivity | 31.1 | ±1.5% | mS/m |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 04-Feb-26 | 2567171 | WRIV004 | Riverside WWW Final Effluent | E.coli* | 2 | ±21% | MPN/100mL |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | NH3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | NO3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567170 | WRIV004 | Riverside WWW Final Effluent | pH OS* | 7.80 | - | - |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | SRP* | 103 | - | µg P/L |
| 04-Feb-26 | 2567172 | WRIV004 | Riverside WWW Final Effluent | SS | 10.0 | ±8.2% | mg/L |
| 04-Feb-26 | 2567170 | WRIV004 | Riverside WWW Final Effluent | Temperature OS* | 27.0 | - | °C |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | COD* | 313 | - | mg O2/L |
| 04-Feb-26 | 2567173 | WSTA001 | St Apollinaris WWW Influent | Coll Time OS* | 08:43 | - | - |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | Conductivity | 25.9 | ±1.5% | mS/m |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | NH3* | 7.53 | - | mg N/L |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | NO3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567173 | WSTA001 | St Apollinaris WWW Influent | pH OS* | 7.80 | - | - |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | SRP* | 200 | - | µg P/L |
| 04-Feb-26 | 2567174 | WSTA001 | St Apollinaris WWW Influent | SS | 127 | ±8.2% | mg/L |
| 04-Feb-26 | 2567173 | WSTA001 | St Apollinaris WWW Influent | Temperature OS* | 21.2 | - | °C |
| 04-Feb-26 | 2567175 | WSTA004 | St Apollinaris WWW Final Effluent M | Cl2 (F) OS* | 0.07 | - | mg Cl2/L |
| 04-Feb-26 | 2567175 | WSTA004 | St Apollinaris WWW Final Effluent M | Cl2 (T) OS* | 0.09 | - | mg Cl2/L |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | COD* | 110 | - | mg O2/L |
| 04-Feb-26 | 2567175 | WSTA004 | St Apollinaris WWW Final Effluent M | Coll Time OS* | 08:52 | - | - |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | Conductivity | 43.2 | ±1.5% | mS/m |
| 04-Feb-26 | 2567176 | WSTA004 | St Apollinaris WWW Final Effluent M | E.coli* | 0 | ±21% | MPN/100mL |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | NH3* | 9.84 | - | mg N/L |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | NO3* | <0.50 | - | mg N/L |
| 04-Feb-26 | 2567175 | WSTA004 | St Apollinaris WWW Final Effluent M | pH OS* | 7.60 | - | - |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | SRP* | 1594 | - | µg P/L |
| 04-Feb-26 | 2567177 | WSTA004 | St Apollinaris WWW Final Effluent M | SS | 56.0 | ±8.2% | mg/L |
| 04-Feb-26 | 2567175 | WSTA004 | St Apollinaris WWW Final Effluent M | Temperature OS* | 23.7 | - | °C |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 11-Feb-26 | 2571912 | RHIM001 | River Above Himville WWW | COD* | <20.0 | - | mg O2/L |
| 11-Feb-26 | 2571910 | RHIM001 | River Above Himville WWW | Coll Time OS* | 8:35 | - | - |
| 11-Feb-26 | 2571912 | RHIM001 | River Above Himville WWW | Conductivity | 6.25 | ±1.5% | mS/m |
| 11-Feb-26 | 2571911 | RHIM001 | River Above Himville WWW | E.coli* | 1986 | ±21% | MPN/100mL |
| 11-Feb-26 | 2571912 | RHIM001 | River Above Himville WWW | NH3 | 0.16 | ±5.5% | mg N/L |
| 11-Feb-26 | 2571912 | RHIM001 | River Above Himville WWW | NO3 | 0.44 | ±2.9% | mg N/L |
| 11-Feb-26 | 2571910 | RHIM001 | River Above Himville WWW | pH OS* | 7.20 | - | - |
| 11-Feb-26 | 2571912 | RHIM001 | River Above Himville WWW | SRP | 11.1 | ±7.7% | µg P/L |
| 11-Feb-26 | 2571913 | RHIM001 | River Above Himville WWW | SS | 12.8 | ±3.7% | mg/L |
| 11-Feb-26 | 2571910 | RHIM001 | River Above Himville WWW | Temperature OS* | 22.5 | - | °C |
| 11-Feb-26 | 2571914 | RHIM002 | River Below Himville WWW | Cl2 (F) OS* | 0.15 | - | mg Cl2/L |
| 11-Feb-26 | 2571914 | RHIM002 | River Below Himville WWW | Cl2 (T) OS* | 0.26 | - | mg Cl2/L |
| 11-Feb-26 | 2571916 | RHIM002 | River Below Himville WWW | COD* | 36.2 | - | mg O2/L |
| 11-Feb-26 | 2571914 | RHIM002 | River Below Himville WWW | Coll Time OS* | 8:20 | - | - |
| 11-Feb-26 | 2571916 | RHIM002 | River Below Himville WWW | Conductivity | 24.1 | ±1.5% | mS/m |
| 11-Feb-26 | 2571915 | RHIM002 | River Below Himville WWW | E.coli* | >24196 | ±21% | MPN/100mL |
| 11-Feb-26 | 2571916 | RHIM002 | River Below Himville WWW | NH3 | 7.78 | ±5.5% | mg N/L |
| 11-Feb-26 | 2571916 | RHIM002 | River Below Himville WWW | NO3 | 1.14 | ±2.9% | mg N/L |
| 11-Feb-26 | 2571914 | RHIM002 | River Below Himville WWW | pH OS* | 7.20 | - | - |
| 11-Feb-26 | 2571916 | RHIM002 | River Below Himville WWW | SRP* | 512 | - | µg P/L |
| 11-Feb-26 | 2571917 | RHIM002 | River Below Himville WWW | SS | 43.2 | ±3.7% | mg/L |
| 11-Feb-26 | 2571914 | RHIM002 | River Below Himville WWW | Temperature OS* | 22.3 | - | °C |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | COD* | 284 | - | mg O2/L |
| 12-Feb-26 | 2572812 | WUMZ001 | Umzimkhulu WWW Influent | Coll Time OS* | 07:55 | - | - |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | Conductivity | 75.4 | ±1.5% | mS/m |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | NH3* | 33.9 | - | mg N/L |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | NO3* | <0.50 | - | mg N/L |
| 12-Feb-26 | 2572812 | WUMZ001 | Umzimkhulu WWW Influent | pH OS* | 7.20 | - | - |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | SRP* | 3867 | - | µg P/L |
| 12-Feb-26 | 2572813 | WUMZ001 | Umzimkhulu WWW Influent | SS | 139 | ±8.2% | mg/L |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 12-Feb-26 | 2572812 | WUMZ001 | Umzimkhulu WWW Influent | Temperature OS* | 22.5 | - | °C |
| 12-Feb-26 | 2572814 | WUMZ004 | Umzimkhulu WWW Final Effluent M | Cl2 (F) OS* | 0.14 | - | mg Cl2/L |
| 12-Feb-26 | 2572814 | WUMZ004 | Umzimkhulu WWW Final Effluent M | Cl2 (T) OS* | 0.20 | - | mg Cl2/L |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | COD* | 41.0 | - | mg O2/L |
| 12-Feb-26 | 2572814 | WUMZ004 | Umzimkhulu WWW Final Effluent M | Coll Time OS* | 07:51 | - | - |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | Conductivity | 55.5 | ±1.5% | mS/m |
| 12-Feb-26 | 2572815 | WUMZ004 | Umzimkhulu WWW Final Effluent M | E.coli* | >2420 | ±21% | MPN/100mL |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | NH3* | 10.6 | - | mg N/L |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | NO3* | <0.50 | - | mg N/L |
| 12-Feb-26 | 2572814 | WUMZ004 | Umzimkhulu WWW Final Effluent M | pH OS* | 7.30 | - | - |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | SRP* | 866 | - | µg P/L |
| 12-Feb-26 | 2572816 | WUMZ004 | Umzimkhulu WWW Final Effluent M | SS | 15.0 | ±8.2% | mg/L |
| 12-Feb-26 | 2572814 | WUMZ004 | Umzimkhulu WWW Final Effluent M | Temperature OS* | 22.7 | - | °C |
| 13-Feb-26 | 2572998 | RIBS001 | Ibisi Downstram WWW | Cl2 (F) OS* | <0.05 | - | mg Cl2/L |
| 13-Feb-26 | 2572998 | RIBS001 | Ibisi Downstram WWW | Cl2 (T) OS* | <0.05 | - | mg Cl2/L |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | COD* | 25.9 | - | mg O2/L |
| 13-Feb-26 | 2572998 | RIBS001 | Ibisi Downstram WWW | Coll Time OS* | 08:15 | - | - |
| 13-Feb-26 | 2573002 | RIBS001 | Ibisi Downstram WWW | Colour | 50.4 | ±6.5% | mg Pt-Co/L |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | Conductivity | 13.9 | ±1.5% | mS/m |
| 13-Feb-26 | 2572999 | RIBS001 | Ibisi Downstram WWW | E.coli* | >2420 | ±21% | MPN/100mL |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | NH3 | 2.40 | ±5.5% | mg N/L |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | NO2 | <0.10 | ±2.4% | mg N/L |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | NO3 | 0.41 | ±2.9% | mg N/L |
| 13-Feb-26 | 2573000 | RIBS001 | Ibisi Downstram WWW | OG* | <1.20 | - | mg/L |
| 13-Feb-26 | 2572998 | RIBS001 | Ibisi Downstram WWW | pH OS* | 7.20 | - | - |
| 13-Feb-26 | 2573001 | RIBS001 | Ibisi Downstram WWW | SRP | 248 | ±7.7% | µg P/L |
| 13-Feb-26 | 2573002 | RIBS001 | Ibisi Downstram WWW | SS | 99.2 | ±3.7% | mg/L |
| 13-Feb-26 | 2572998 | RIBS001 | Ibisi Downstram WWW | Temperature OS* | 19.0 | - | °C |
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | COD* | 181 | - | mg O2/L |
| 13-Feb-26 | 2573072 | WIB001 | Ibisi WWW Influent | Coll Time OS* | 07:50 | - | - |
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | Conductivity | 52.9 | ±1.5% | mS/m |
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | NH3* | 22.3 | - | mg N/L |
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | NO3* | <0.50 | - | mg N/L |
| 13-Feb-26 | 2573072 | WIB001 | Ibisi WWW Influent | pH OS* | 7.70 | - | - |
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | SRP* | 2098 | - | µg P/L |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 13-Feb-26 | 2573073 | WIB001 | Ibisi WWW Influent | SS | 97.0 | ±8.2% | mg/L |
| 13-Feb-26 | 2573072 | WIB001 | Ibisi WWW Influent | Temperature OS* | 24.8 | - | °C |
| 13-Feb-26 | 2573074 | WIB002 | Ibisi WWW Effluent | Cl2 (F) OS* | 0.07 | - | mg Cl2/L |
| 13-Feb-26 | 2573074 | WIB002 | Ibisi WWW Effluent | Cl2 (T) OS* | 0.11 | - | mg Cl2/L |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | COD* | 55.4 | - | mg O2/L |
| 13-Feb-26 | 2573074 | WIB002 | Ibisi WWW Effluent | Coll Time OS* | 08:00 | - | - |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | Conductivity | 43.1 | ±1.5% | mS/m |
| 13-Feb-26 | 2573075 | WIB002 | Ibisi WWW Effluent | E.coli* | >2420 | ±21% | MPN/100mL |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | NH3* | 11.3 | - | mg N/L |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | NO3* | <0.50 | - | mg N/L |
| 13-Feb-26 | 2573074 | WIB002 | Ibisi WWW Effluent | pH OS* | 7.50 | - | - |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | SRP* | 1106 | - | µg P/L |
| 13-Feb-26 | 2573076 | WIB002 | Ibisi WWW Effluent | SS | 66.0 | ±8.2% | mg/L |
| 13-Feb-26 | 2573074 | WIB002 | Ibisi WWW Effluent | Temperature OS* | 23.7 | - | °C |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | COD* | 894 | - | mg O2/L |
| 18-Feb-26 | 2576441 | WHIM001 | Himville WWW Influent | Coll Time OS* | 09:55 | - | - |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | Conductivity | 88.7 | ±1.5% | mS/m |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | NH3* | 36.8 | - | mg N/L |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | NO3* | <0.50 | - | mg N/L |
| 18-Feb-26 | 2576441 | WHIM001 | Himville WWW Influent | pH OS* | 7.20 | - | - |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | SRP* | 5774 | - | µg P/L |
| 18-Feb-26 | 2576442 | WHIM001 | Himville WWW Influent | SS | 633 | ±8.2% | mg/L |
| 18-Feb-26 | 2576441 | WHIM001 | Himville WWW Influent | Temperature OS* | 22.7 | - | °C |
| 18-Feb-26 | 2576444 | WHIM002 | Himville WWW Reactor 1 | % Solids* | 0.07 | - | % |
| 18-Feb-26 | 2576444 | WHIM002 | Himville WWW Reactor 1 | % VSS* | 57.2 | - | % |
| 18-Feb-26 | 2576443 | WHIM002 | Himville WWW Reactor 1 | Coll Time OS* | 09:52 | - | - |
| 18-Feb-26 | 2576444 | WHIM002 | Himville WWW Reactor 1 | MLSS | 376 | ±8.2% | mg/L |
| 18-Feb-26 | 2576446 | WHIM003 | Himville WWW Reactor 2 | % Solids* | 0.15 | - | % |
| 18-Feb-26 | 2576446 | WHIM003 | Himville WWW Reactor 2 | % VSS* | 68.1 | - | % |
| 18-Feb-26 | 2576445 | WHIM003 | Himville WWW Reactor 2 | Coll Time OS* | 09:50 | - | - |
| 18-Feb-26 | 2576446 | WHIM003 | Himville WWW Reactor 2 | MLSS | 1089 | ±8.2% | mg/L |
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | COD* | <20.0 | - | mg O2/L |
| 19-Feb-26 | 2575042 | RKOK001 | River above Kokstad | Coll Time OS* | 07:18 | - | - |
| 19-Feb-26 | 2575046 | RKOK001 | River above Kokstad | Colour | 26.0 | ±6.5% | mg Pt-Co/L |
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | Conductivity | 13.0 | ±1.5% | mS/m |
| 19-Feb-26 | 2575043 | RKOK001 | River above Kokstad | E.coli* | 6488 | ±21% | MPN/100mL |
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | NH3 | <0.10 | ±5.5% | mg N/L |
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | NO2 | <0.10 | ±2.4% | mg N/L |
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | NO3 | 0.31 | ±2.9% | mg N/L |
| 19-Feb-26 | 2575044 | RKOK001 | River above Kokstad | OG* | <1.20 | - | mg/L |
| 19-Feb-26 | 2575042 | RKOK001 | River above Kokstad | pH OS* | 7.40 | - | - |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 19-Feb-26 | 2575045 | RKOK001 | River above Kokstad | SRP | 32.7 | ±7.7% | µg P/L |
| 19-Feb-26 | 2575046 | RKOK001 | River above Kokstad | SS | 34.8 | ±3.7% | mg/L |
| 19-Feb-26 | 2575042 | RKOK001 | River above Kokstad | Temperature OS* | 20.5 | - | °C |
| 19-Feb-26 | 2575047 | RKOK002 | River below Kokstad | Cl2 (F) OS* | <0.05 | - | mg Cl2/L |
| 19-Feb-26 | 2575047 | RKOK002 | River below Kokstad | Cl2 (T) OS* | <0.05 | - | mg Cl2/L |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | COD* | <20.0 | - | mg O2/L |
| 19-Feb-26 | 2575047 | RKOK002 | River below Kokstad | Coll Time OS* | 07:00 | - | - |
| 19-Feb-26 | 2575051 | RKOK002 | River below Kokstad | Colour | 31.6 | ±6.5% | mg Pt-Co/L |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | Conductivity | 12.4 | ±1.5% | mS/m |
| 19-Feb-26 | 2575048 | RKOK002 | River below Kokstad | E.coli* | 3873 | ±21% | MPN/100mL |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | NH3 | <0.10 | ±5.5% | mg N/L |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | NO2 | <0.10 | ±2.4% | mg N/L |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | NO3 | 0.33 | ±2.9% | mg N/L |
| 19-Feb-26 | 2575049 | RKOK002 | River below Kokstad | OG* | <1.20 | - | mg/L |
| 19-Feb-26 | 2575047 | RKOK002 | River below Kokstad | pH OS* | 7.30 | - | - |
| 19-Feb-26 | 2575050 | RKOK002 | River below Kokstad | SRP | 31.0 | ±7.7% | µg P/L |
| 19-Feb-26 | 2575051 | RKOK002 | River below Kokstad | SS | 25.6 | ±3.7% | mg/L |
| 19-Feb-26 | 2575047 | RKOK002 | River below Kokstad | Temperature OS* | 20.2 | - | °C |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | COD* | 630 | - | mg O2/L |
| 19-Feb-26 | 2575220 | WKK001 | KoKstad WWW Influent | Coll Time OS* | 07:25 | - | - |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | Conductivity | 89.7 | ±1.5% | mS/m |
| 19-Feb-26 | 2575221 | WKK001 | KoKstad WWW Influent | E.coli* | >2419600 | ±21% | MPN/100mL |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | NH3* | 11.2 | - | mg N/L |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | NO3* | <0.50 | - | mg N/L |
| 19-Feb-26 | 2575220 | WKK001 | KoKstad WWW Influent | pH OS* | 7.80 | - | - |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | SRP* | 3969 | - | µg P/L |
| 19-Feb-26 | 2575222 | WKK001 | KoKstad WWW Influent | SS | 423 | ±8.2% | mg/L |
| 19-Feb-26 | 2575220 | WKK001 | KoKstad WWW Influent | Temperature OS* | 26.1 | - | °C |
| 19-Feb-26 | 2575223 | WKK004 | Kokstad WWW Final Effluent M | Cl2 (F) OS* | 0.05 | - | mg Cl2/L |
| 19-Feb-26 | 2575223 | WKK004 | Kokstad WWW Final Effluent M | Cl2 (T) OS* | 0.07 | - | mg Cl2/L |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | COD* | 25.5 | - | mg O2/L |
| 19-Feb-26 | 2575223 | WKK004 | Kokstad WWW Final Effluent M | Coll Time OS* | 07:15 | - | - |
| 19-Feb-26 | 2575227 | WKK004 | Kokstad WWW Final Effluent M | Colour | 17.2 | ±6.5% | mg Pt-Co/L |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | Conductivity | 54.0 | ±1.5% | mS/m |
| 19-Feb-26 | 2575224 | WKK004 | Kokstad WWW Final Effluent M | E.coli* | 111 | ±21% | MPN/100mL |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | NH3* | 6.24 | - | mg N/L |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | NO2* | 1.92 | - | mg N/L |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | NO3* | <0.50 | - | mg N/L |
| 19-Feb-26 | 2575225 | WKK004 | Kokstad WWW Final Effluent M | OG* | 1.80 | - | mg/L |
| 19-Feb-26 | 2575223 | WKK004 | Kokstad WWW Final Effluent M | pH OS* | 7.70 | - | - |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | SRP* | 2444 | - | µg P/L |
| 19-Feb-26 | 2575226 | WKK004 | Kokstad WWW Final Effluent M | SS | <10 | ±8.2% | mg/L |
| 19-Feb-26 | 2575223 | WKK004 | Kokstad WWW Final Effluent M | Temperature OS* | 25.5 | - | °C |

**uMngeni-uThukela Water**

**HEAD OFFICE**
P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201• KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: Info@umgeni.co.za •Website: https://www.umngeni-uthukela.co.za/